

AUSTRALIAN PATIENT SAFETY FOUNDATION

Published articles on patient safety

Including

- **Early research on anaesthesia equipment,**
- **The Australian Incident Monitoring Study,**
- **The Quality in Australian Health Care Study, and**
- **Applications of the incident monitoring software
and/or methods and protocols developed by the A.P.S.F.**

List updated November 2005.

Australian Patient Safety Foundation Inc.,

PO Box 400

ADELAIDE

South Australia 5001

Tel: 61-8-8222 5115

Fax: 61-8-8232 6938

Web-page: www.apsf.net.au

The Australian Patient Safety Foundation was formed in 1988 as a non-profit independent research organisation dedicated to the advancement of patient safety.

PUBLISHED ARTICLES

Articles may appear in more than one category

BY CATEGORY

A HISTORICAL OVERVIEW

ANAESTHESIA

CREATING A JUST CULTURE AND TORT LAW REFORM

EMERGENCY DEPARTMENTS

EQUIPMENT

GENERAL PRACTICE

HUMAN FACTORS

INCIDENT REPORTING

INTENSIVE CARE

MEDICATION

OBSTETRICS

PAEDIATRICS

PSYCHIATRY

THE QUALITY IN AUSTRALIAN HEALTH CARE STUDY

A HISTORICAL OVERVIEW

Runciman WB. The Australian Patient Safety Foundation. *Anaesth Intensive Care* 1988; 16(1):114-6.

Runciman WB, Moller J. *Iatrogenic Injury in Australia*. Adelaide: Australian Patient Safety Foundation Inc. 2000.

A large report available on the internet at www.apsf.net.au/journals.html

ANAESTHESIA

Abeysekera A, Bergman IJ, Kluger MT, Short TG. Drug error in anaesthetic practice: a review of 896 reports from the Australian Incident Monitoring Study database. *Anaesthesia* 2005; 60(3):220-7.

Australian Patient Safety Foundation. *Crisis Management Manual*. Adelaide: Australian Patient Safety Foundation. 1995.

Barker L, Webb RK, Runciman WB, Van der Walt JH. The Australian Incident Monitoring Study. The oxygen analyser: applications and limitations: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):570-4.

Bergman IJ, Kluger MT, Short MG. Awareness during general anaesthesia: a review of 81 cases from the Anaesthetic Incident Monitoring Study. *Anaesthesia* 2002; 57:549-56.

Clayton, DG, Barker L, Runciman WB. Evaluation of safety procedures in anaesthesia and intensive care. *Anaesth Intensive Care* 1993; 21(5):670-2.

Clayton DG, Webb RK, Ralston AC, Duthie D, Runciman WB. A comparison of the performance of 20 pulse oximeters under conditions of poor perfusion. *Anaesthesia* 1991; 46(1):3-10.

Clayton DG, Webb RK, Ralston AC, Duthie D, Runciman WB. Pulse oximeter probes. A comparison between finger, nose, ear and forehead probes under conditions of poor perfusion. *Anaesthesia* 1991; 46(4):260-5.

Cockings JG, Webb RK, Klepper ID, Currie M, Morgan C. The Australian Incident Monitoring Study. Blood pressure monitoring: applications and limitations: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):565-9.

Currie M, Mackay P, Morgan C, Runciman WB, Russell WJ, Sellen A, Webb RK, Williamson JA. The Australian Incident Monitoring Study. The "wrong drug" problem in anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):596-601.

Currie M, Pybus DA, Torda TA. A prospective survey of anaesthetic critical events: a report on a pilot study of 88 cases. *Anaesth Intensive Care* 1989; 16(1):103-7.

Currie M, Webb RK, Williamson JA, Russell WJ, Mackay P. The Australian Incident Monitoring Study. Clinical anaphylaxis: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):621-5.

Fox MA, Webb RK, Singleton R, Ludbrook G, Runciman WB. The Australian Incident Monitoring Study. Problems with regional anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):646-9.

Griffiths DM, Ilsley AH, Runciman WB. Pulse meters and pulse oximeters. *Anaesth Intensive Care* 1988; 16(1):49-53.

Holland R, Hains J, Roberts JG, Runciman WB. Symposium: The Australian Incident Monitoring Study. Editorial. *Anaesth Intensive Care* 1993; 21(5):501-5.

Holland R, Webb RK, Runciman WB. The Australian Incident Monitoring Study. Oesophageal intubation: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):608-10.

Ilsley AH, Plummer JL, Runciman WB, Cousins MJ. Anaesthetic gas analysers for vaporiser calibration, patient circuit monitoring and determination of environmental waste anaesthetic gas levels. *Anaesth Intensive Care* 1988; 16(1):35-7.

Ilsley AH, Plummer JL, Runciman WB, Cousins MJ. An evaluation of three volatile anaesthetic agent monitors. *Anaesth Intensive Care* 1986; 14(4):437-42.

Ilsley AH, Runciman WB. An evaluation of fourteen oxygen analysers for use in patient breathing circuits. *Anaesth Intensive Care* 1986; 14(4):431-6.

Ilsley AH, Runciman WB. Assessment and evaluation of devices: an analysis of organisations providing information on comparative evaluation studies. *Anaesth Intensive Care* 1988; 16(1):16-8.

Ilsley AH, Rutten AJ, Runciman WB. An evaluation of body temperature measurement. *Anaesth Intensive Care* 1983; 11(1):31-9.

International Task Force on Anaesthesia Safety. Commentary on Equipment Recommendations. *Euro J Anaes* 1993; 10(7):16-8.

International Task Force on Anaesthesia Safety. Commentary on the International Standards. *Euro J Anaes* 1993; 10(7):19-23.

International Task Force on Anaesthesia Safety. International standards for a safe practice of anaesthesia. *Euro J Anaes* 1993; 10(7):12-5.

International Task Force on Anaesthesia Safety. National standards documents. *Euro J Anaes* 1993; 10(7):2.

Klepper ID, Webb RK, Van der Walt JH, Ludbrook GL, Cockings J. The Australian Incident Monitoring Study. The stethoscope: applications and limitations - an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):575-8.

Kluger MT, Bukofzer M, Bullock M. Anaesthetic assistants: their role in the development and resolution of anaesthetic incidents. *Anaesth Intensive Care* 1999; 27(3):269-74.

Kluger MT, Bullock MF. Recovery room incidents: a review of 419 reports from the Anaesthetic Incident Monitoring Study (AIMS). *Anaesthesia* 2002; 57: 1060-6.

Kluger MT, Runciman WB. Incident monitoring in anaesthesia. Chapter 41. In Healy TEJ and Knight PR (editors). *Wylie and Churchill-Davidson's A Practice of Anesthesia*, 7th edition. Arnold, London, 2003: 671-85.

Kluger MT, Short TG. Aspiration during anaesthesia: a review of 133 cases from the Australian Anaesthetic Incident Monitoring Study (AIMS). *Anaesthesia* 1999; 54(1):19-26.

Kluger MT, Tham EJ, Coleman NA, Runciman WB, Bullock MF. Inadequate pre-operative evaluation and preparation: a review of 197 reports from the Australian incident monitoring study. *Anaesthesia* 2000; 55(12):1173-8.

Ludbrook GL, Russell WJ, Webb RK, Klepper ID, Currie M. The Australian Incident Monitoring Study. The electrocardiograph: applications and limitations - an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):558-64.

Ludbrook GL, Webb RK, Fox MA, Singleton RJ. The Australian Incident Monitoring Study. Problems before induction of anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):593-5.

McCoy EP, Russell WJ, Webb RK. Accidental bronchial intubation. An analysis of AIMS incident reports from 1988 to 1994 inclusive. *Anaesthesia* 1997; 52(1):24-31.

Morgan C. Incident reporting in anaesthesia. *Anaesth Intensive Care* 1988; 16(1):98-100.

Morgan CA, Webb RK, Cockings J, Williamson JA. The Australian Incident Monitoring Study. Cardiac arrest: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):626-37.

Morris GP, Morris RW. Anaesthesia and fatigue: an analysis of the first 10 years of the Australian Incident Monitoring Study 1987-1997. *Anaesth Intensive Care* 2000; 28(3):300-4.

Myerson KR, Ilsley AH, Runciman WB. An evaluation of ventilator monitoring alarms. *Anaesth Intensive Care* 1986; 14(2):174-85.

Osborne GA, Webb RK, Runciman WB. The Australian Incident Monitoring Study. Patient awareness during anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):653-4.

Ralston AC, Webb RK, Runciman WB. Potential errors in pulse oximetry. 1. Pulse oximeter evaluation. *Anaesthesia* 1991; 46(3):202-6.

Ralston AC, Webb RK, Runciman WB; Potential errors in pulse oximetry. III. Effects of interference, dyes, dyshaemoglobins and other pigments. *Anaesthesia* 1991 Apr;46(4):291-5.

Runciman WB. Cardiovascular monitoring. *Crit Care Internat* 1984; 3(1):2-3.

Runciman WB. Commentary on equipment recommendations. *Eur J Anaesthesiol Suppl* 1993; 7:16-8

- Runciman WB. Complete retrograde dysmnesia. Editorial. *J Clin Monit* 1995; 11(1):3-4.
- Runciman WB. Crisis management. *Anaesth Intensive Care* 1988; 16(1):86-8.
- Runciman WB. Iatrogenic harm and anaesthesia in Australia. Editorial. *Anaesth Intensive Care* 2005; 33(3):297-300.
- Runciman WB. Incident monitoring. *Clinical Anaesthesiology* 1996; 10(2):333-56.
- Runciman WB. Malignant hyperthermia: recognition, prevention, and management. *Curr Ther* 1984; 25(4):63-71.
- Runciman WB. Malignant hyperthermia. recognition, prevention and management. *Dent Anaesth Sedat* 1984; 13(2): 54-8.
- Runciman WB. Medicolegal aspects, consent and ethics for the anaesthetist. *Current Opinion in Anaesthesiology* 1992; 5:767-71.
- Runciman WB. Monitoring and patient safety: An overview. *Anaesth Intensive Care* 1988; 16(1):11-3.
- Runciman WB. Qualitative versus quantitative research - balancing cost, yield and feasibility. Editorial. *Anaesth Intensive Care* 1993; 21:502-5.
- Runciman WB. Qualitative versus quantitative research - balancing cost, yield and feasibility. Reprinted from *Anaesth Intensive Care* 1993; 21:502-5, as a Classic Paper. In: *Quality and Safety in Health Care* 2002; 11: 146-7.
- Runciman WB. Quality Assurance. In: Aitkenhead AR, Jones RM (eds). *Clinical Anaesthesia*. London: Churchill Livingstone. 1993.
- Runciman WB. Report from the Australian Patient Safety Foundation: Australasian Incident Monitoring Study. *Anaesth Intensive Care* 1989; 17(1):107-8.
- Runciman WB. Risk assessment in the formulation of anaesthesia safety standards. *Eur J Anaesthesiol Suppl.* 1993; 7:26-32.
- Runciman WB. The Australian Patient Safety Foundation. *Anaesth Intensive Care* 1988; 16(1):114-6.
- Runciman WB, Gravenstein JS. Critical incident management. In Kirby RR, Gravenstein N, Lobato EB, Gravenstein JS (editors). *Clinical Anaesthesia Practice*, 2nd edition. WB Saunders, Philadelphia, 2002. Chapter 7, pp 127-132.
- Runciman WB, Ilesley AH, Rutten AJ. Monitoring other haemodynamic variables and oxygen consumption. *Anaesth Intensive Care* 1988; 16(1):58-62.
- Runciman WB, Ilesley AH, Rutten AJ. Systemic arterial blood pressure. *Anaesth Intensive Care* 1988; 16(1):54-7.
- Runciman WB, Ilesley AH, Rutten AJ, Baker D, Fronsco RL. An evaluation of intravenous infusion pumps and controllers. *Anaesth Intensive Care* 1987; 15(2):217-28.
- Runciman WB, Rutten AL, Ilesley AH. An evaluation of blood pressure measurement. *Anaesth Intensive Care* 1981; 9(4):314-25.
- Runciman WB, Sellen A, Webb RK, Williamson JA, Currie M, Morgan C, Russell WJ. The Australian Incident Monitoring Study. Errors, incidents and accidents in anaesthetic practice. *Anaesth Intensive Care* 1993; 21(5): 506-19.

Runciman WB, Webb RK. A report from the Australian Incident Monitoring Study: problems with vaporizers. *ASA Newsletter* 1994; 94(2):16-9.

Runciman WB, Webb RK, Barker L, Currie M. The Australian Incident Monitoring Study. The pulse oximeter: applications and limitations - an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):543-50.

Runciman WB, Webb RK, Klepper ID, Lee R, Williamson JA, Barker L. The Australian Incident Monitoring Study. Crisis management: validation of an algorithm by analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):579-92.

Runciman WB, Webb RK, Lee R, Holland R. The Australian Incident Monitoring Study. System failure: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):684-95.

Russell WJ, Webb RK, Van der Walt JH, Runciman WB. The Australian Incident Monitoring Study. Problems with ventilation: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):617-20.

Rutten AJ, Ilsley AH, Skowronski GA, Runciman WB. A comparative study of the measurement of mean arterial blood pressure using automatic oscillometers, arterial cannulation and auscultation. *Anaesth Intensive Care* 1986; 14(1):58-65.

Rutten AJ, Nancarrow C, Ilsley AH, Runciman WB. An assessment of six different pulmonary artery catheters. *Crit Care Med* 1987; 15(3):250-5.

Selby DG, Ilsley AH, Runciman WB. An evaluation of five carbon dioxide analysers for use in the operating theatre and intensive care unit. *Anaesth Intensive Care* 1987; 15(2):212-6.

Short TG, O'Regan A, Jayasuriya JP, Rowbottom M, Buckley TA, Oh TE. Improvements in anaesthetic care resulting from a critical incident reporting programme. *Anaesthesia* 1996 Jul;51(7):615-21.

Sinclair M, Simmons S, Cyna A. Incidents in obstetric anaesthesia and analgesia: an analysis of 5000 AIMS reports. *Anaesth Intensive Care* 1999; 27(3):275-81.

Singleton RJ, Ludbrook GL, Webb RK, Fox MA. The Australian Incident Monitoring Study. Physical injuries and environmental safety in anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):659-63.

Singleton RJ, Webb RK, Ludbrook GL, Fox MA. The Australian Incident Monitoring Study. Problems associated with vascular access: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):664-9.

Skowronski GA, Runciman WB, Crawford CW, Sage MR. Acute systemic reactions to intravascular contrast media: a planned approach. *Australas Radiol* 1987; 31(2):186-91.

Szekely SM, Webb RK, Williamson JA, Russell WJ. The Australian Incident Monitoring Study. Problems related to the endotracheal tube: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):611-6.

Thomas DW, Runciman WB. Monitoring depth of anaesthesia. *Anaesth Intensive Care* 1988; 16(1):69-71.

Turtle M, Ilsley AH, Rutten AJ, Runciman WB. An evaluation of six disposable heat and moisture exchangers. *Anaesth Intensive Care* 1987; 15(3):317-22.

Tyers MR, Russell WJ, Runciman WB. Electrocardiographic monitoring in anaesthesia. *Anaesth Intensive Care* 1988; 16(1):66-9.

Van der Walt JH, Sweeney DB, Runciman WB, Webb RK. The Australian Incident Monitoring Study. Paediatric incidents in anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993 Oct;21(5):655-8.

Van der Walt JH, Webb RK, Osborne GA, Morgan C, Mackay P. The Australian Incident Monitoring Study. Recovery room incidents in the first 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):650-2.

Webb RK, Currie M, Morgan CA, Williamson JA, Mackay P, Russell WJ, Runciman WB. The Australian Incident Monitoring Study: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):520-8.

Webb RK, Ralston A, Clayton D, Runciman WB. Comparison of pulse oximeters: comment. *Anaesth Intensive Care* 1989; 17(2):238-9.

Webb RK, Ralston AC, Runciman WB. Potential errors in pulse oximetry. II. Effects of changes in saturation and signal quality. *Anaesthesia* 1991; 46(3):207-12.

Webb RK, Russell WJ, Klepper I, Runciman WB. The Australian Incident Monitoring Study. Equipment failure: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):673-7.

Webb RK, Van der Walt JH, Runciman WB, Williamson JA, Cockings J, Russell WJ, Helps S. The Australian Incident Monitoring Study. Which monitor? An analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21:529-42.

Williamson JA, Mackay P. Incident monitoring. *MJA* 1991; 155:340-4.

Williamson JA, Webb RK, Cockings J, Morgan C. The Australian Incident Monitoring Study. The capnograph: applications and limitations: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):551-7.

Williamson JA, Webb RK, Pryor GL. Anaesthesia safety and the "critical incident" technique. *Aust J Clin Review* 1985; 5:57-61.

Williamson JA, Webb RK, Russell WJ, Runciman WB. The Australian Incident Monitoring Study. Air embolism: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):638-41.

Williamson JA, Webb RK, Sellen A, Runciman WB, Van der Walt JH. The Australian Incident Monitoring Study. Human failure: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):678-83.

Williamson JA, Webb RK, Szekely S, Gillies ER, Dreosti AV. The Australian Incident Monitoring Study. Difficult intubation: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):602-7.

Williamson JA, Webb RK, Van der Walt JH, Runciman WB. The Australian Incident Monitoring Study. Pneumothorax: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):642-5.

RECENTLY PUBLISHED ELECTRONIC WEB RESOURCE ON CRISIS MANAGEMENT IN ANAESTHESIA' (2005) IN THE JOURNAL 'QUALITY AND SAFETY IN HEALTH CARE': (Available at http://ghc.bmjournals.com/cgi/collection/anaesthesia_crisis_management)

Overview article in the print edition:

Runciman WB, Merry AF. Crises in clinical care: an approach to management. Qual Saf Health Care. 2005;14(3):156-63.

Electronic web-resource of 25 articles on Crisis Management in Anaesthesia:

Runciman WB, Kluger MT, Morris RW, Paix AD, Watterson LM, Webb RK. Crisis management during anaesthesia: the development of an anaesthetic crisis management manual. Qual Saf Health Care. 2005;14(3):e1.

Visvanathan T, Kluger MT, Webb RK, Westhorpe RN. Crisis management during anaesthesia: obstruction of the natural airway. Qual Saf Health Care. 2005;14(3):e2.

Visvanathan T, Kluger MT, Webb RK, Westhorpe RN. Crisis management during anaesthesia: laryngospasm. Qual Saf Health Care. 2005;14(3):e3.

Kluger MT, Visvanathan T, Myburgh JA, Westhorpe RN. Crisis management during anaesthesia: regurgitation, vomiting, and aspiration. Qual Saf Health Care. 2005;14(3):e4.

Paix AD, Williamson JA, Runciman WB. Crisis management during anaesthesia: difficult intubation. Qual Saf Health Care. 2005;14(3):e5.

Szekely SM, Runciman WB, Webb RK, Ludbrook GL. Crisis management during anaesthesia: desaturation. Qual Saf Health Care. 2005;14(3):e6.

Westhorpe RN, Ludbrook GL, Helps SC. Crisis management during anaesthesia: bronchospasm. Qual Saf Health Care. 2005;14(3):e7.

Chapman MJ, Myburgh JA, Kluger MT, Runciman WB. Crisis management during anaesthesia: pulmonary oedema. Qual Saf Health Care. 2005;14(3):e8.

Watterson LM, Morris RW, Westhorpe RN, Williamson JA. Crisis management during anaesthesia: bradycardia. Qual Saf Health Care. 2005;14(3):e9.

Watterson LM, Morris RW, Williamson JA, Westhorpe RN. Crisis management during anaesthesia: tachycardia. Qual Saf Health Care. 2005;14(3):e10.

Morris RW, Watterson LM, Westhorpe RN, Webb RK. Crisis management during anaesthesia: hypotension. Qual Saf Health Care. 2005;14(3):e11.

Paix AD, Runciman WB, Horan BF, Chapman MJ, Currie M. Crisis management during anaesthesia: hypertension. Qual Saf Health Care. 2005;14(3):e12.

Ludbrook GL, Webb RK, Currie M, Watterson LM. Crisis management during anaesthesia: myocardial ischaemia and infarction. Qual Saf Health Care. 2005;14(3):e13.

Runciman WB, Morris RW, Watterson LM, Williamson JA, Paix AD. Crisis management during anaesthesia: cardiac arrest. Qual Saf Health Care. 2005;14(3):e14.

Paix AD, Bullock MF, Runciman WB, Williamson JA. Crisis management during anaesthesia: problems associated with drug administration during anaesthesia. *Qual Saf Health Care*. 2005;14(3):e15.

Osborne GA, Bacon AK, Runciman WB, Helps SC. Crisis management during anaesthesia: awareness and anaesthesia. *Qual Saf Health Care*. 2005;14(3):e16.

Williamson JA, Helps SC, Westhorpe RN, Mackay P. Crisis management during anaesthesia: embolism. *Qual Saf Health Care*. 2005;14(3):e17.

Bacon AK, Paix AD, Williamson JA, Webb RK, Chapman MJ. Crisis management during anaesthesia: pneumothorax. *Qual Saf Health Care*. 2005;14(3):e18.

Currie M, Kerridge RK, Bacon AK, Williamson JA. Crisis management during anaesthesia: anaphylaxis and allergy. *Qual Saf Health Care*. 2005;14(3):e19.

Singleton RJ, Kinnear SB, Currie M, Helps SC. Crisis management during anaesthesia: vascular access problems. *Qual Saf Health Care*. 2005;14(3):e20.

Griggs WM, Morris RW, Runciman WB, Osborne GA, Paix AD. Trauma: development of a sub-algorithm. *Qual Saf Health Care*. 2005;14(3):e21.

Myburgh JA, Chapman MJ, Szekely SM, Osborne GA. Crisis management during anaesthesia: sepsis. *Qual Saf Health Care*. 2005;14(3):e22.

Kluger MT, Szekely SM, Singleton RJ, Helps SC. Crisis management during anaesthesia: water intoxication. *Qual Saf Health Care*. 2005;14(3):e23.

Fox MA, Morris RW, Runciman WB, Paix AD. Crisis management during regional anaesthesia. *Qual Saf Health Care*. 2005;14(3):e24.

Bacon AK, Morris RW, Runciman WB, Currie M. Crisis management during anaesthesia: recovering from a crisis. *Qual Saf Health Care*. 2005;14(3):e25.

CREATING A JUST CULTURE AND TORT LAW REFORM

Runciman WB, Merry AF. A tragic death: a time to blame or a time to learn? *Qual Saf Health Care* 2003; 12:321-2.

Runciman B, Merry A, Smith AM. Improving patients' safety by gathering information. Anonymous reporting has an important role. Editorial. *BMJ* 2001; 323(7308):298.

Runciman WB, Merry AF, Tito F. Error, blame and the law in healthcare – an antipodean perspective. *Ann Int Med* 2003; 138(12): 974-9.

EMERGENCY DEPARTMENTS

Benveniste KA, Hibbert PD, Runciman WB. Violence in health care: the contribution of the Australian Patient Safety Foundation to incident monitoring and analysis. *Med J Aust* 2005; 183(7): 348-51.

Vinen J. Incident monitoring in emergency departments: an Australian model. *Acad Emerg Med* 2000; 7(11):1290-7.

EQUIPMENT

Barker L, Webb RK, Runciman WB, Van der Walt JH. The Australian Incident Monitoring Study. The oxygen analyser: applications and limitations: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):570-4.

Clayton DG, Webb RK, Ralston AC, Duthie D, Runciman WB. A comparison of the performance of 20 pulse oximeters under conditions of poor perfusion. *Anaesthesia* 1991; 46(1):3-10.

Clayton DG, Webb RK, Ralston AC, Duthie D, Runciman WB. Pulse oximeter probes. A comparison between finger, nose, ear and forehead probes under conditions of poor perfusion. *Anaesthesia* 1991; 46(4):260-5.

Cockings JG, Webb RK, Klepper ID, Currie M, Morgan C. The Australian Incident Monitoring Study. Blood pressure monitoring: applications and limitations: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):565-9.

Griffiths DM, Ilsley AH, Runciman WB. Pulse meters and pulse oximeters. *Anaesth Intensive Care* 1988; 16(1):49-53.

Ilsley AH, Plummer JL, Runciman WB, Cousins MJ. Anaesthetic gas analysers for vaporiser calibration, patient circuit monitoring and determination of environmental waste anaesthetic gas levels. *Anaesth Intensive Care* 1988; 16(1):35-7.

Ilsley AH, Plummer JL, Runciman WB, Cousins MJ. An evaluation of three volatile anaesthetic agent monitors. *Anaesth Intensive Care* 1986; 14(4):437-42.

Ilsley AH, Runciman WB. An evaluation of fourteen oxygen analysers for use in patient breathing circuits. *Anaesth Intensive Care* 1986; 14(4):431-6.

Ilsley AH, Runciman WB. Assessment and evaluation of devices: an analysis of organisations providing information on comparative evaluation studies. *Anaesth Intensive Care* 1988; 16(1):16-8.

Ilsley AH, Rutten AJ, Runciman WB. An evaluation of body temperature measurement. *Anaesth Intensive Care* 1983; 11(1):31-9.

International Task Force on Anaesthesia Safety. Commentary on Equipment Recommendations. *Euro J Anaes* 1993; 10(7):16-8.

International Task Force on Anaesthesia Safety. Commentary on the International Standards. *Euro J Anaes* 1993; 10(7):19-23.

International Task Force on Anaesthesia Safety. International standards for a safe practice of anaesthesia. *Euro J Anaes* 1993; 10(7):12-5.

International Task Force on Anaesthesia Safety. National standards documents. *Euro J Anaes* 1993; 10(7):2.

Klepper ID, Webb RK, Van der Walt JH, Ludbrook GL, Cockings J. The Australian Incident Monitoring Study. The stethoscope: applications and limitations - an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):575-8.

Ludbrook GL, Russell WJ, Webb RK, Klepper ID, Currie M. The Australian Incident Monitoring Study. The electrocardiograph: applications and limitations - an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):558-64.

Myerson KR, Ilsley AH, Runciman WB. An evaluation of ventilator monitoring alarms. *Anaesth Intensive Care* 1986; 14(2):174-85.

Osborne GA, Webb RK, Runciman WB. The Australian Incident Monitoring Study. Patient awareness during anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):653-4.

Ralston AC, Webb RK, Runciman WB. Potential errors in pulse oximetry. 1. Pulse oximeter evaluation. *Anaesthesia* 1991; 46(3):202-6.

Ralston AC, Webb RK, Runciman WB; Potential errors in pulse oximetry. III. Effects of interference, dyes, dyshaemoglobins and other pigments. *Anaesthesia* 1991 Apr;46(4):291-5.

Runciman WB. Cardiovascular monitoring. *Crit Care Internat* 1984; 3(1):2-3.

Runciman WB. Commentary on equipment recommendations. *Eur J Anaesthesiol Suppl* 1993; 7:16-8

Runciman WB. Monitoring and patient safety: An overview. *Anaesth Intensive Care* 1988; 16(1):11-3.

Runciman WB. Risk assessment in the formulation of anaesthesia safety standards. *Eur J Anaesthesiol Suppl.* 1993; 7:26-32.

Runciman WB, Ilesley AH, Rutten AJ. Monitoring other haemodynamic variables and oxygen consumption. *Anaesth Intensive Care* 1988; 16(1):58-62.

Runciman WB, Ilesley AH, Rutten AJ. Systemic arterial blood pressure. *Anaesth Intensive Care* 1988; 16(1):54-7.

Runciman WB, Ilesley AH, Rutten AJ, Baker D, Fronsco RL. An evaluation of intravenous infusion pumps and controllers. *Anaesth Intensive Care* 1987; 15(2):217-28.

Runciman WB, Rutten AL, Ilesley AH. An evaluation of blood pressure measurement. *Anaesth Intensive Care* 1981; 9(4):314-25.

Runciman WB, Webb RK. A report from the Australian Incident Monitoring Study: problems with vaporizers. *ASA Newsletter* 1994; 94(2):16-9.

Runciman WB, Webb RK, Barker L, Currie M. The Australian Incident Monitoring Study. The pulse oximeter: applications and limitations - an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):543-50.

Runciman WB, Webb RK, Lee R, Holland R. The Australian Incident Monitoring Study. System failure: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):684-95.

Russell WJ, Webb RK, Van der Walt JH, Runciman WB. The Australian Incident Monitoring Study. Problems with ventilation: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):617-20.

Rutten AJ, Ilesley AH, Skowronski GA, Runciman WB. A comparative study of the measurement of mean arterial blood pressure using automatic oscillometers, arterial cannulation and auscultation. *Anaesth Intensive Care* 1986; 14(1):58-65.

Rutten AJ, Nancarrow C, Ilesley AH, Runciman WB. An assessment of six different pulmonary artery catheters. *Crit Care Med* 1987; 15(3):250-5.

Selby DG, Ilesley AH, Runciman WB. An evaluation of five carbon dioxide analysers for use in the operating theatre and intensive care unit. *Anaesth Intensive Care* 1987; 15(2):212-6.

Singleton RJ, Ludbrook GL, Webb RK, Fox MA. The Australian Incident Monitoring Study. Physical injuries and environmental safety in anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):659-63.

Szekely SM, Webb RK, Williamson JA, Russell WJ. The Australian Incident Monitoring Study. Problems related to the endotracheal tube: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):611-6.

Thomas DW, Runciman WB. Monitoring depth of anaesthesia. *Anaesth Intensive Care* 1988; 16(1):69-71.

Turtle M, Ilsley AH, Rutten AJ, Runciman WB. An evaluation of six disposable heat and moisture exchangers. *Anaesth Intensive Care* 1987; 15(3):317-22.

Tyers MR, Russell WJ, Runciman WB. Electrocardiographic monitoring in anaesthesia. *Anaesth Intensive Care* 1988; 16(1):66-9.

Van der Walt JH, Webb RK, Osborne GA, Morgan C, Mackay P. The Australian Incident Monitoring Study. Recovery room incidents in the first 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):650-2.

Webb RK, Currie M, Morgan CA, Williamson JA, Mackay P, Russell WJ, Runciman WB. The Australian Incident Monitoring Study: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):520-8.

Webb RK, Ralston A, Clayton D, Runciman WB. Comparison of pulse oximeters: comment. *Anaesth Intensive Care* 1989; 17(2):238-9.

Webb RK, Ralston AC, Runciman WB. Potential errors in pulse oximetry. II. Effects of changes in saturation and signal quality. *Anaesthesia* 1991; 46(3):207-12.

Webb RK, Russell WJ, Klepper I, Runciman WB. The Australian Incident Monitoring Study. Equipment failure: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):673-7.

Webb RK, Van der Walt JH, Runciman WB, Williamson JA, Cockings J, Russell WJ, Helps S. The Australian Incident Monitoring Study. Which monitor? An analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21:529-42.

Williamson JA, Mackay P. Incident monitoring. *MJA* 1991; 155:340-4.

Williamson JA, Webb RK, Cockings J, Morgan C. The Australian Incident Monitoring Study. The capnograph: applications and limitations: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):551-7.

Williamson JA, Webb RK, Pryor GL. Anaesthesia safety and the "critical incident" technique. *Aust J Clin Review* 1985; 5:57-61.

GENERAL PRACTICE

Bhasale A. The wrong diagnosis: identifying causes of potentially adverse events in general practice using incident monitoring. *Fam Pract* 1998 Aug; 15(4):308-18.

Bhasale AL, Miller GC, Reid SE, Britt HC. Analysing potential harm in Australian general practice: an incident-monitoring study. *Med J Aust* 1998 Jul 20;169(2):73-6.

Britt H, Miller GC, Steven ID, Howarth GC, Nicholson PA, Bhasale AL, Norton KJ. Collecting data on potentially harmful events: a method for monitoring incidents in general practice. *Fam Pract* 1997 Apr;14(2):101-6.

Britt H, Reid S, Bhasale A, Miller G. Clinical incidents in general practice. Prescription errors. *Aust Fam Physician* 1996 Oct;25(10):1609-10.

Miller G, Britt H, Steven I, Bhasale A, Reid S. Clinical incident monitoring. Editorial. *Aust Fam Physician* 1996 Jun;25(6):821.

Reid S, Britt H, Miller G, Bhasale A. Clinical incidents in general practice. A difficult paediatric diagnosis. *Aust Fam Physician* 1996 Sep;25(9):1454-6.

Steven ID, Malpass A, Moller J, Runciman WB, Helps SC. Towards safer drug use in general practice. *J Qual Clin Pract* 1999; 19(1):47-50.

HUMAN FACTORS

Beckmann U, Baldwin I, Durie M, Morrison A, Shaw L. Problems associated with nursing staff shortage: an analysis of the first 3600 incident reports submitted to the Australian Incident Monitoring Study (AIMS-ICU). *Anaesth Intensive Care* 1998; 26(4):396-400.

Bhasale A. The wrong diagnosis: identifying causes of potentially adverse events in general practice using incident monitoring. *Fam Pract* 1998 Aug; 15(4):308-18.

Kluger MT, Bukofzer M, Bullock M. Anaesthetic assistants: their role in the development and resolution of anaesthetic incidents. *Anaesth Intensive Care* 1999; 27(3):269-74.

Kluger MT, Tham EJ, Coleman NA, Runciman WB, Bullock MF. Inadequate pre-operative evaluation and preparation: a review of 197 reports from the Australian incident monitoring study. *Anaesthesia* 2000; 55(12):1173-8.

Morris GP, Morris RW. Anaesthesia and fatigue: an analysis of the first 10 years of the Australian Incident Monitoring Study 1987-1997. *Anaesth Intensive Care* 2000; 28(3):300-4.

Morrison AL, Beckmann U, Durie M, Carless R, Gillies DM. The effects of nursing staff inexperience (NSI) on the occurrence of adverse patient experiences in ICUs. *Aust Crit Care* 2001; 14(3):116-21.

Williamson JA, Webb RK, Sellen A, Runciman WB, Van der Walt JH. The Australian Incident Monitoring Study. Human failure: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):678-83.

INCIDENT REPORTING SYSTEMS (SEE ALSO ANAESTHESIA)

Australian Patient Safety Foundation Inc. Final Report of the Australian Incident Monitoring Study for the Commonwealth Department of Health and Family Services. Adelaide: Australian Patient Safety Foundation Inc. June 1998.

Australian Patient Safety Foundation. The South Australian Incident Reporting and Monitoring System. Report for the State Department of Human Services. Adelaide: Australian Patient Safety Foundation. 1998.

Beckmann U, Bohringer C, Carless R, Gillies DM, Runciman WB, Wu AW, Provonost P. Evaluation of two methods for quality improvement in intensive care: Facilitated incident monitoring and retrospective medical chart review. *Crit Care Med* 2003; 31(4):1006-11.

Beckmann U, West LF, Groombridge GJ, Baldwin I, Hart GK, Clayton DG, Webb RK, Runciman WB. The Australian Incident Monitoring Study in Intensive Care: AIMS-ICU. The

development and evaluation of an incident reporting system in intensive care. *Anaesth Intensive Care* 1996; 24(3):314-9.

Benveniste KA, Hibbert PD, Runciman WB. Violence in health care: the contribution of the Australian Patient Safety Foundation to incident monitoring and analysis. *Med J Aust* 2005; 183(7): 348-51.

Rigby K, Clark RB and Runciman WB. Adverse events in health care: setting priorities based on economic evaluation. *J Qual Clin Pract* 1999; 19(1):7-12.

Runciman WB. Incidents and accidents in health care: it's time! *J Qual Clin Pract* 1999; 19(1):1-2. Editorial.

Runciman B. Lessons from Australia. In: Emslie S, Knox K, Pickstone M (editors). *Improving Patient Safety: Insights From American, Australian and British Healthcare*, ECRI, Welwyn, 2002. pp 47-53.

Runciman WB. Lessons from the Australian Patient Safety Foundation: setting up a national patient safety surveillance system - is this the right model? *Qual Saf Health Care* 2002; 11:246-51.

Runciman WB. Medicolegal aspects, consent and ethics for the anaesthetist. *Current Opinion in Anaesthesiology* 1992; 5:767-71.

Runciman WB, Edmonds MJ, Pradhan M. Setting priorities for patient safety. *Qual Saf Health Care* 2002; 11:224-9.

Runciman WB, Helps SC, Sexton EJ, Malpass A. A classification for incidents and accidents in the health-care system. *J Qual Clin Pract* 1998; 18(3):199-211.

INTENSIVE CARE

Aitkenhead AR, Booij LH, Dhainaut JF, Geiger K, Haljamae H, Lumb PD, Runciman WB, Suter PM, Vincent JL. International standards for safety in the intensive care unit. Developed by the International Task Force on Safety in the Intensive Care Unit. *Intensive Care Med* 1993; 19(3):178-81.

Baldwin I, Beckman U, Shaw L, Morrison A. Australian Incident Monitoring Study in intensive care: local unit review meetings and report management. *Anaesth Intensive Care* 1998; 26(3):294-7.

Beckmann U, Baldwin I, Durie M, Morrison A, Shaw L. Problems associated with nursing staff shortage: an analysis of the first 3600 incident reports submitted to the Australian Incident Monitoring Study (AIMS-ICU). *Anaesth Intensive Care* 1998; 26(4):396-400.

Beckmann U, Baldwin I, Hart GK, Runciman WB. The Australian Incident Monitoring Study in Intensive Care: AIMS-ICU. An analysis of the first year of reporting. *Anaesth Intensive Care* 1996; 24(3):320-9.

Beckmann U, Bohringer C, Carless R, Gillies DM, Runciman WB, Wu AW, Provonost P. Evaluation of two methods for quality improvement in intensive care: Facilitated incident monitoring and retrospective medical chart review. *Crit Care Med* 2003; 31(4):1006-11.

Beckmann U, Gillies DM. Factors associated with reintubation in intensive care: an analysis of causes and outcomes. *Chest* 2001; 120(2):538-42.

Beckmann U, Runciman WB. The role of incident reporting in continuous quality improvement in the intensive care setting. Editorial. *Anaesth Intensive Care* 1996; 24(3):311-3.

Beckmann U, West LF, Groombridge GJ, Baldwin I, Hart GK, Clayton DG, Webb RK, Runciman WB. The Australian Incident Monitoring Study in Intensive Care: AIMS-ICU. The development and evaluation of an incident reporting system in intensive care. *Anaesth Intensive Care* 1996; 24(3):314-9.

Buckley TA, Short TG, Rowbottom YM, Oh TE. Critical incident reporting in the intensive care unit. *Anaesthesia* 1997 May;52(5):403-9.

Clayton, DG, Barker L, Runciman WB. Evaluation of safety procedures in anaesthesia and intensive care. *Anaesth Intensive Care* 1993; 21(5):670-2.

Durie M, Beckmann U, Gillies DM. Incidents relating to arterial cannulation as identified in 7,525 reports submitted to the Australian Incident Monitoring Study (AIMS-ICU). *Anaesth Intensive Care* 2002; 30(1):60-5.

Hart GK. Error in medicine: adverse events in intensive care. *Schweiz Med Wochenschr* 1999; 129: 1583-91.

Morrison AL, Beckmann U, Durie M, Carless R, Gillies DM. The effects of nursing staff inexperience (NSI) on the occurrence of adverse patient experiences in ICUs. *Aust Crit Care* 2001; 14(3):116-21.

MEDICATION

Australian Patient Safety Foundation Inc. Reducing Adverse Drug Events in the Australian Health Care System. Report on the Workshop conducted by the Australian Medication Safety Working Group 'Reducing Adverse Drug Events in the Australian Health Care System', Adelaide: Australian Patient Safety Foundation Inc. 1998.

Britt H, Reid S, Bhasale A, Miller G. Clinical incidents in general practice. Prescription errors. *Aust Fam Physician* 1996 Oct;25(10):1609-10.

Clark RB, Graham JD, Williamson JA. Towards system-wide strategies for reducing adverse drug events. *J Qual Clin Practice* 1999; 19(1):37-40.

Currie M, Mackay P, Morgan C, Runciman WB, Russell WJ, Sellen A, Webb RK, Williamson JA. The Australian Incident Monitoring Study. The "wrong drug" problem in anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):596-601.

Currie M, Webb RK, Williamson JA, Russell WJ, Mackay P. The Australian Incident Monitoring Study. Clinical anaphylaxis: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993; 21(5):621-5.

Halstead PJ, Roughead EE, Rigby K, Clark RB, Gallus AS. Towards the safer use of warfarin II: results of a workshop. *J Qual Clin Practice* 1999; 19(1):61-2.

Levings B, Szep S, Helps S. Toward the safer use of dosettes. *J Qual Clin. Practice* 1999; 19(1):69-72

Malpass A, Helps SC, Runciman WB. An analysis of Australian adverse drug events. *J Qual Clin Pract* 1999; 19(1):27-30.

Malpass A, Helps SC, Sexton EJ, Maiale D, Runciman WB. A classification for adverse drug events. *J Qual Clin Pract* 1999; 19(1):23-6.

Runciman WB, Roughhead EE, Semple SJ, Adams RJ. Adverse drug events and medication errors in Australia. *Int J Qual Health Care* 2003; 15 Suppl. 1: i49-59.

Skowronski GA, Runciman WB, Crawford CW, Sage MR. Acute systemic reactions to intravascular contrast media: a planned approach. *Australas Radiol* 1987; 31(2):186-91.

Steven ID, Malpass A, Moller J, Runciman WB, Helps SC. Towards safer drug use in general practice. *J Qual Clin Pract* 1999; 19(1):47-50.

OBSTETRICS

Sinclair M, Simmons S, Cyna A. Incidents in obstetric anaesthesia and analgesia: an analysis of 5000 AIMS reports. *Anaesth Intensive Care* 1999; 27(3):275-81.

PAEDIATRICS

Van der Walt JH, Sweeney DB, Runciman WB, Webb RK. The Australian Incident Monitoring Study. Paediatric incidents in anaesthesia: an analysis of 2000 incident reports. *Anaesth Intensive Care* 1993 Oct;21(5):655-8.

PSYCHIATRY

Benveniste KA, Hibbert PD, Runciman WB. Violence in health care: the contribution of the Australian Patient Safety Foundation to incident monitoring and analysis. *Med J Aust* 2005; 183(7): 348-51.

Wright M, Parker G. Incident monitoring in psychiatry. *J Qual Clin Pract* 1998; 18(4):249-61.

THE QUALITY IN AUSTRALIAN HEALTH CARE STUDY

Australian Patient Safety Foundation Inc. Final Report on the Quality in Australian Health Care Study (QAHCS) data for the International Collaborative Study on Medical Injury for the Commonwealth Department of Health and Family Services. Adelaide: Australian Patient Safety Foundation Inc. 1998. (confidential report)

Runciman WB, Webb RK, Helps SC, Thomas EJ, Sexton EJ, Studdert DM, Brennan TA. A comparison of iatrogenic injury studies in Australia and the USA. II: Reviewer behaviour and quality of care. *Int J Qual Health Care* 2000; 12(5):379-88.

Thomas EJ, Studdert DM, Runciman WB, Webb RK, Sexton EJ, Wilson RM, Gibberd RW, Harrison BT, Brennan TA. A comparison of iatrogenic injury studies in Australia and the USA. I: Context, methods, casemix, population, patient and hospital characteristics. *Int J Qual Health Care* 2000; 12(5):371-8.

Wilson RM, Harrison BT, Gibberd RW, Hamilton JD. An analysis of the causes of adverse events from the Quality in Australian Health Care Study. *Med J Aust* 1999 May 3;170(9):411-5.

Wilson RM, Runciman WB, Gibberd RW, Harrison BT, Hamilton JD. Quality in Australian Health Care Study. Letter. *Med J Aust* 1996; 164(12): 754.

Wilson RM, Runciman WB, Gibberd RW, Harrison BT, Newby L, Hamilton JD. The Quality in Australian Health Care Study. *Med J Aust* 1995; 163(9):458-71.